

_		
	Part number	09 67 000 9971
	Specification	D Sub Male Screw lock 4-40 UNC with plas
	HARTING eCatalogue	https://b2b.harting.com/09670009971

Image is for illustration purposes only. Please refer to product description.

## Identification

Category	Accessories		
Series	D-Sub		
Type of accessory	Knurled screw		
Description of the accessory	Grey head / steel, nickel plated Thread 4-40 UNC		
Material properties			
RoHS	compliant with exemption		
RoHS exemptions	6(a) / 6(a)-I: Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0,35 % lead by weight / Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight		
ELV status	compliant with exemption		
China RoHS	50		
REACH Annex XVII substances	Not contained		
REACH ANNEX XIV substances	Not contained		
REACH SVHC substances	Yes		
REACH SVHC substances	Lead		
California Proposition 65 substances	Yes		
California Proposition 65 substances	Lead Nickel		
Commercial data			
Packaging size	100		
Net weight	1 g		

Page 1 / 2 | Creation date 2023-01-25 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany

## D Sub Male Screw lock 4-40 UNC with plas



## Commercial data

Country of origin	China
European customs tariff number	73181558
GTIN	5713140087514
eCl@ss	27440292 Connector component (accessories)

Page 2 / 2 | Creation date 2023-01-25 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany