

Part number

CDFA 1.0



Female crimp contact, CD series, 10 A, turned silver plated, wire cross section 1 mm², AWG 18


Product description		Material properties	
Product type	Crimp contact	Main material	Copper alloy
Series	CD		Compliant with exemption
Gender	Female	RoHs conformity	6(c): copper alloy containing up to 4% lead by weight
Technical data		China RoHs - EFUP	50
Current	10 A	REACH SVHC substances	Yes Lead
Wire cross-section	1,00 mm ²	SCIP number	C0979fba-9907-458f-a94a-db781440f273
AWG size	18	Approvals / Standards	
Contact type	Turned silver plated	Certifications	CSA, EAC
Further technical details		UL	ECBT2
Contact resistance	≤ 0,3 mΩ	General ordering information	
Weight	0,63 g	EAN13 code	8015747014632
Operating temperature range (min, max)	-40°C ... +125°C	eCl@ss 8.1	27440204
Conductors stripping length	8 mm	ETIM 7.0	EC000796
Packaging Information			
Packaging length	112,00 mm	Packaging description	Carton box
Packaging height	95,00 mm	Packaging quantity	1600 Pcs
Packaging width	117,00 mm	Packaging EAN code	8015747103985
Packaging weight	1,23 kg	Sub-packaging length	50,00 mm
Packaging volume	1,24 dm ³	Sub-packaging height	44,00 mm
		Sub-packaging width	50,00 mm
		Sub-packaging weight	0,15 kg
		Sub-packaging volume	0,11 dm ³
		Sub-packaging description	Plastic box
		Sub-packaging quantity	200 Pcs
		Sub-packaging EAN barcode	8015747014649

Part number

CDFA 1.0



Catalogue drawings



CDF and CDM contacts

conductor section mm ²	conductor slot $\varnothing A$ (mm)	conductors stripping length B (mm)
0,14-0,37	0,9	8
0,5	1,1	8
0,75	1,3	8
1,0	1,45	8
1,5	1,8	8
2,5	2,2	6

Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
